

- 1) Voyatzis, S., Muzerelle, A. **Gaspar P.**, Nicol, X. (2012) Modeling activity and target-dependent developmental cell death of mouse retinal ganglion cells ex vivo, **PLoS ONE** *in press*.
- 2) Patricia **Gaspar** and Christina Lillesaar (2012) Probing the heterogeneity of serotonin raphe neurons, **Philos. Trans.** In press.
- 3) Narboux-Nême N, Sagné C, Doly S, Diaz CL, Martin C, Angenard G, Martres MP, Giros B, Hamon M, Lanfumey L, **Gaspar P***, Mongeau R. (2011) Severe serotonin depletion after conditional deletion of the vesicular monoamine transporter 2 gene in serotonin neurons: neural and behavioral consequences, **Neuropsychopharmacology** 36:2538-50.
- 4) Sebastian Fernandez, Patricia Gaspar (2012) Investigating anxiety and depressive-like phenotypes in genetic mouse models of serotonin depletion. **Neuropharmacology**, 62 : 144-54.
- 5) Vera Kiyasova, Sebastian Fernandez, Jeanne Laine, Lea Stankovski, Aude Muzerelle, Stephane Doly, Patricia Gaspar. (2011) Ms. No. PMID: 21414898. doi: 10.1523/JNEUROSCI.4080-10.2011. A genetically defined morphologically and functionally unique subset of 5-HT neurons in the mouse raphe nuclei. **J Neurosci.**;31(8):2756-68.
- 6) Narboux-Nême N, Sagne C, Doly S, Diaz SL, Martin CB, Angenard G, Martres MP, Giros B, Hamon M, Lanfumey L, **Gaspar P**, Mongeau R. 2011 Epub (2011/08/05). doi:10.1038/npp.2011.142. Severe serotonin depletion after conditional deletion of the vesicular monoamine transporter 2 gene in serotonin neurons: neural and behavioral consequences. **Neuropsychopharmacology**;36(12):2538-50.
- 7) Fernandez SP, **Gaspar P**. **Neuropharmacology**. (2012) Jan;62(1):144-54. Investigating anxiety and depressive-like phenotypes in genetic mouse models of serotonin depletion. doi: 10.1016/j.neuropharm.2011.08.049.
- 8) Narboux-Nême N, Evrard A, Ferezou I, Erzurumlu RS, Kaeser PS, Lainé J, Rossier J, Ropert N, Südhof TC, **Gaspar P**. (2012), **J Neurosci**. 32(18):6183-96. Neurotransmitter release at the thalamocortical synapse instructs barrel formation but not axon patterning in the somatosensory cortex. doi: 10.1523/JNEUROSCI.0343-12.2012.
- 9) Erzurumlu RS, **Gaspar P**. 2012, doi: 10.1111/j.1460-9568.2012.08075.x. Development and critical period plasticity of the barrel cortex. **Eur J Neurosci**. 2012 May;35(10):1540-53.
- 10) van Kleef ES, **Gaspar P**, Bonnin A. 2012, doi: 10.1111/j.1460-9568.2012.8096.x. Insights into the complex influence of 5-HT signaling on thalamocortical axonal system development. **Eur J Neurosci**. 35(10):1563-72.
- 11) **Gaspar P**, Lillesaar C. 2011 doi: 10.1098/rstb.2011.0378. Probing the diversity of serotonin neurons. **Philos Trans R Soc Lond B Biol Sci**. ;367(1601):2382-94.
- 12) Vera Kiyasova and Patricia Gaspar, (2011) Serotonin raphe neurons from specification to guidance. **Eur J Neuroscience**, 34:1553-62..
- 13) Sara Trowbridge, Nicolas Narboux-Nême, Patricia Gaspar (2011) Genetic Models of Serotonin (5-HT) depletion: what do they tell us about the developmental role of 5-HT? **Anat Rec** (Hoboken). 294 : 1615-1623.
- 14) Kiyasova*, Fernandez S*, Laine J, Stankovski L, Muzerelle A, Doly S, **Gaspar P**. (2011) A genetically defined morphologically and functionally unique subset of 5-HT neurons in the mouse raphe nuclei. **J Neurosci**. 31:2756-68. (* =equal contribution) (*This week in the journal*)..

- 15) Carreres MI, Escalante A, Murillo B, Chauvin G, **Gaspar P**, Vegar, C, Herrera E. (2011) The transcription factor Foxd1 is required for the specification of the temporal retina in mammals. *J. Neurosci.* 31:5673-81.
- 16) Judith Homberg, Dirk Schubert, Patricia Gaspar. (2010) New perspectives on the neurodevelopmental effects of SSRIs. *Trends Pharmacol Sci* 31:60-65
- 17) Niquille M, Garel S, Mann F, Hornung JP, Otsmane B, Chevalet S, Parras C, Guillemot F, **Gaspar P**, Yanagawa Y, and Lebrand C. (2009) Transient neuronal populations are required to guide callosal axons: a role for semaphorin3c." *Plos Biology.* -10, e1000230.
- 18) Chatzopoulou E, Miguez A, Savvaki M, Levasseur G, Muzerelle A, Muriel MP, Goureau O, Watanabe K, Goutebroze L, **Gaspar P**, Zalc B, Karageorgos D, Thomas JL. (2008) Structural requirement of TAG-1 for retinal ganglion cell axons and myelin in the mouse optic nerve. *J. Neurosci.* 28:7624-36.
- 19) Narboux-Nême N, Pavone LM, Avallone L, Zhuang X, **Gaspar P**. (2008) Serotonin transporter transgenic (SERT^{cre}) mouse line reveals developmental targets of serotonin specific reuptake inhibitors (SSRIs). *Neuropharmacology.* 55:994-1005.
- 20) Baudoin JP, Alvarez C, **Gaspar P**, Métin C. (2008) Nocodazole-induced changes in microtubule dynamics impair the morphology and directionality of migrating medial ganglionic eminence cells. *Dev Neurosci.* 30:132-43.
- 21) Pavone LM, Mithbaokar P, Mastellone V, Avallone L, **Gaspar P**, Maharajan V, Baldini A. (2007) Fate map of serotonin transporter-expressing cells in developing mouse heart. *Genesis.* 45:689-95.
- 22) Nicol X, Voyatzis S, Muzerelle A, Narboux-Neme N, Sudhof TC, Miles R, Gaspar, P (2007). cAMP oscillations and retinal activity are permissive for ephrin signaling during the establishment of the retinotopic map. *Nat Neuroscience.* 10:340-7. (Faculty of 1000).
- 23) Stankovski L, Alvarez C, Ouimet T, Vitalis T, El-Hachimi KH, Price D, Deneris E, **Gaspar P**, Cases O. (2007) Developmental cell death is enhanced in the cerebral cortex of mice lacking the brain vesicular monoamine transporter. *J. Neurosci.* . 27:1315-24.
- 24) Ferrere A, Vitalis T, Gingras H, **Gaspar P**, Cases O (2006) Expression of Cux-1 and Cux-2 in the developing somatosensory cortex of normal and barrel-defective mice. *Anat Record*, 288:158-165. (citations : 1).
- 25) Kappeler C, Saillour Y, Baudoin JP, Tuy FP, Alvarez C, Houbron C, **Gaspar P**, Hamard G, Chelly J, Metin C, Francis F (2006) Branching and nucleokinesis defects in migrating interneurons derived from doublecortin knockout mice. *Hum Mol Genet* 15:1387-1400. (citations : 17).
- 26) Lebrand C, **Gaspar P**, Nicolas D, Hornung JP (2006) Transitory uptake of serotonin in the developing sensory pathways of the common marmoset (*callithrix jacchus*). *J Comp Neurology.* 499:677-89.
- 27) Herzog E, Gilchrist J, Gras C, Muzerelle A, Ravassard P, Giros B, **Gaspar P**, El Mestikawy S (2004) Localization of VGLUT3, the vesicular glutamate transporter type 3, in the rat brain. *Neuroscience* 123:983-1002.
- 28) Rebsam A, Seif I, **Gaspar P** (2005) Dissociating barrel development and lesion-induced plasticity in the mouse somatosensory cortex. *J Neurosci.* , 25:706-710.
- 29) Nicol X, Muzerelle A, Bachy I, Ravary A, **Gaspar P** (2005) Spatiotemporal localization of the calcium-stimulated adenylate cyclases, AC1 and AC8, during mouse brain development. *J Comp Neurol* 486:281-294. (citations 11).

- 30) Nicol X, Muzerelle A, Rio JP, Metin C, **Gaspar P** (2006) Requirement of adenylate cyclase 1 for the ephrin-A5-dependent retraction of exuberant retinal axons. *J Neurosci* 26:862-872.
- 31) Nicol,X, Bennis,M., Ishikawa,Y., Chan,G., Repérant,J., Storm,D. & **Gaspar,P.** (2006) Role of calcium modulated cyclases in the development of the retinal projections. *Eur.J.Neurosci.*, 24, 3401-34.
- 32) **Gaspar P**, Cases O, Maroteaux L (2003) The developmental role of serotonin : news from mouse molecular genetics. *Nature Reviews Neuroscience* :1002-1012.
- 33) Alberts P, Rufge R, Hinners I, Muzerelle A, Martinez-Arca S, Irinopoulou T, Tooze S, Rathjen F, **Gaspar P**, Galli T (2003) Cross talk between tetanus neurotoxin-insensitive vesicle-associated membrane protein-mediated transport and L1-mediated adhesion. *Mol Biol Cell* 14:4207-4220.
- 34) Gavet O, Alvarez C, **Gaspar P**, Bornens M (2003) Centrin 4p, a novel mammalian centrin specifically expressed in ciliated cells. *Mol Biol Cell* 14:1818-1834.
- 35) Muzerelle A, Alberts P, Martinez-Arca S, Jeannequin O, Lafaye P, Mazié J, Galli T, **Gaspar P** (2003) Tetanus neurotoxin-insensitive vesicle associated membrane protein identifies a novel presynaptic membrane compartment in selected terminal subsets of the rat brain. *Neuroscience* 122:59-75.
- 36) Ravary A, Muzerelle A, Herve D, Pascoli V, Ba-Charvet KN, Girault JA, Welker E, **Gaspar P** (2003) Adenylate cyclase 1 as a key actor in the refinement of retinal projection maps. *J Neurosci* 23:2228-2238.
- 37) Vitalis T, Alvarez C, Chen K, Shih JC, **Gaspar P**, Cases O (2003) Developmental expression pattern of monoamine oxidases in sensory organs and neural crest derivatives. *J Comp Neurol* 464:392-403.
- 38) Alvarez C, Vitalis T, Fon EA, Hanoun N, Hamon M, Seif I, Edwards R, **Gaspar P**, Cases O (2002) Effects of genetic depletion of monoamines on somatosensory cortical development. *Neuroscience* 115:753-764.
- 39) Laurent A, Goillard JM, Cases O, Lebrand C, **Gaspar P**, Ropert N (2002) Activity dependent presynaptic role of the serotonin 1B receptors on the thalamocortical transmission in the somatosensory pathway of the neonatal mice. *J Neurosci.* 22:886-900.
- 40) Rebsam A, Seif I, **Gaspar P** (2002) Refinement of thalamocortical arbors and emergence of barrel domains in the primary somatosensory cortex: a study of normal and monoamine oxidase a knock-out mice. *J Neurosci* 22:8541-8552.
- 41) Upton AL, Ravary A, Salichon N, Moessner R, Lesch KP, Hen R, Seif I, **Gaspar P** (2002) Lack of 5-HT(1B) receptor and of serotonin transporter have different effects on the segregation of retinal axons in the lateral geniculate nucleus compared to the superior colliculus. *Neuroscience* 111:597-610.
- 42) Verney C, Lebrand C, **Gaspar P** (2002) Changing distribution of monoaminergic markers in the developing human cerebral cortex with special emphasis on the serotonin transporter. *Anatomical Record* 267:87-93.
- 43) Vitalis T, Fouquet C, Alvarez C, Seif I, Price D, **Gaspar P**, Cases O (2002) Developmental expression of monoamine oxidases A and B in the central and peripheral nervous systems of the mouse. *J Comp Neurol* 442:331-347
- 44) Vitalis T, Cases O, Gillies K, Hanoun N, Hamon M, Seif I, **Gaspar P**, Kind P, Price DJ (2002) Interactions between TrkB signaling and serotonin excess in the developing murine somatosensory cortex: a role in tangential and radial organization of thalamocortical axons. *J Neurosci* 22:4987-5000.

- 45) Auso E, Cases O, Fouquet C, Camacho M, Garcia-Velasco JV, **Gaspar P**, Berbel P (2001) Protracted expression of serotonin transporter and altered thalamocortical projections in the barrelfield of hypothyroid rats. *Eur J Neurosci* 14:1968. (citations -6).
- 46) Ravary A, Muzerelle A, Darmon M, Murphy DL, Moessner R, Lesch KP, **Gaspar P** (2001) Abnormal trafficking and subcellular localization of an N-terminally truncated serotonin transporter protein. *Eur J Neurosci* 13:1349-1362
- 47) Salichon N, **Gaspar P**, Upton AL, Picaud S, Hanoun N, Hamon M, De Maeyer EE, Murphy DL, Mossner R, Lesch KP, Hen R, Seif I (2001) Excessive Activation of Serotonin (5-HT) 1B Receptors Disrupts the Formation of Sensory Maps in Monoamine Oxidase A and 5-HT Transporter Knock-Out Mice. *J Neurosci* 21:884-896.
- 48) Masson J, **Gaspar P**, Aidouni Z, Ezan P, Giros B, Hamon M, El Mestikawy S (2000) Ontogeny of Rxt1, a vesicular "orphan" Na(+)/Cl(-)-dependent transporter, in the rat. *Neuroscience* 96:627-637
- 49) Kachidian P, Masson J, Aidouni Z, **Gaspar P**, Hamon M, El Mestikawy S, Kerkerian-Le Goff L (1999) The "orphan" Na+/Cl(-)-dependent transporter, Rxt1, is primarily localized within nerve endings of cortical origin in the rat striatum. *J Neurochem* 73:623-632.
- 50) Lotto B, Upton L, Price DJ, **Gaspar P** (1999) Serotonin receptor activation enhances neurite outgrowth of thalamic neurones in rodents. *Neurosci Lett* 269:87-90.
- 51) Upton AL, Salichon N, Lebrand C, Ravary A, Blakely R, Seif I, **Gaspar P** (1999) Excess of serotonin (5-HT) alters the segregation of ipsilateral and contralateral retinal projections in monoamine oxidase A knock-out mice: possible role of 5-HT uptake in retinal ganglion cells during development. *J Neurosci* 19:7007-7024.
- 52) Cases O, Lebrand C, Giros B, Vitalis T, De Maeyer E, Caron MG, Price DJ, **Gaspar P**, Seif I (1998) Plasma membrane transporters of serotonin, dopamine, and norepinephrine mediate serotonin accumulation in atypical locations in the developing brain of monoamine oxidase A knock-outs. *J Neurosci* 18:6914-6927.
- 53) Le Moine C, **Gaspar P** (1998) Subpopulations of cortical GABAergic interneurons differ by their expression of D1 and D2 dopamine receptor subtypes. *Brain Res Mol Brain Res* 58:231-236.
- 54) Lebrand C, Cases O, Wehrle R, Blakely RD, Edwards RH, **Gaspar P** (1998) Transient developmental expression of monoamine transporters in the rodent forebrain. *J Comp Neurol* 401:506-524.
- 55) Vitalis T, Cases O, Callebert J, Launay JM, Price DJ, Seif I, **Gaspar P** (1998) Effects of monoamine oxidase A inhibition on barrel formation in the mouse somatosensory cortex: determination of a sensitive developmental period. *J Comp Neurol* 393:169-184.
- 56) Menegoz M, **Gaspar P**, Le Bert M, Galvez T, Burgaya F, Palfrey C, Ezan P, Arnos F, Girault JA (1997) Paranodin, a glycoprotein of neuronal paranodal membranes. *Neuron* 19:319-331.
- 57) Cases O, Vitalis T, Seif I, De Maeyer E, Sotelo C, **Gaspar P** (1996) Lack of barrels in the somatosensory cortex of monoamine oxidase A- deficient mice: role of a serotonin excess during the critical period. *Neuron* 16:297-307.
- 58) Lebrand C, Cases O, Adelbrecht C, Doye A, Alvarez C, El Mestikawy S, Seif I, **Gaspar P** (1996) Transient uptake and storage of serotonin in developing thalamic neurons. *Neuron* 17:823-835.

- 59) Cases O, Seif I, Grimsby J, **Gaspar P**, Chen K, Pournin S, Muller U, Aguet M, Babinet C, Shih JC (1995) Aggressive behavior and altered amounts of brain serotonin and norepinephrine in mice lacking MAOA. *Science* 268:1763-1766.
- 60) **Gaspar P**, Bloch B, Le Moine C (1995) D1 and D2 receptor gene expression in the rat frontal cortex: cellular localization in different classes of efferent neurons. *Eur J Neurosci* 7:1050-1063
- 61) Verney C, Febvret-Muzerelle A, **Gaspar P** (1995) Early postnatal changes of the dopaminergic mesencephalic neurons in the weaver mutant mouse. *Brain Res Dev Brain Res* 89:115-119.
- 62) **Gaspar P**, Ben Jelloun N, Febvret A (1994) Sparing of the dopaminergic neurons containing calbindin-D28k and of the dopaminergic mesocortical projections in weaver mutant mice. *Neuroscience* 61:293-305.
- 63) **Gaspar P**, Heizmann CW, Kaas JH (1993) Calbindin D-28K in the dopaminergic mesocortical projection of a monkey (*Aotus trivirgatus*). *Brain Res* 603:166-172.
- 64) **Gaspar P**, Febvret A, Colombo J (1993) Serotonergic sprouting in primate MTP-induced hemiparkinsonism. *Exp Brain Res* 96:100-106.
- 65) Berger B, **Gaspar P**, Verney C (1992) Colocalization of neurotensin in the mesocortical dopaminergic system. Restricted regional and laminar distribution in rat, lack of colocalization in human. *Ann N Y Acad Sci* 668:307-310
- 66) **Gaspar P**, Stepniewska I, Kaas JH (1992) Topography and collateralization of the dopaminergic projections to motor and lateral prefrontal cortex in owl monkeys. *J Comp Neurol* 325:1-21.
- 67) Berger B, **Gaspar P**, Verney C (1991) Dopaminergic innervation of the cerebral cortex: unexpected differences between rodents and primates]-119. *Trends in Neuroscience* 14:21-27.
- 68) Febvret A, Berger B, **Gaspar P**, Verney C (1991) Further indication that distinct dopaminergic subsets project to the rat cerebral cortex: lack of colocalization with neurotensin in the superficial dopaminergic fields of the anterior cingulate, motor, retrosplenial and visual cortices. *Brain Res* 547:37-52.(citations =37).
- 69) **Gaspar P**, Duyckaerts C, Alvarez C, Javoy-Agid F, Berger B (1991) Alterations of dopaminergic and noradrenergic innervations in motor cortex in Parkinson's disease. *Annals Neurology* 30:365-374. (citations =95).
- 70) **Gaspar P**, Berger B, Febvret A (1990) Neurotensin innervation of the human cerebral cortex: lack of colocalization with catecholamines. *Brain Res* 530:181-195.
- 71) **Gaspar P**, Berger B, Febvret A, Vigny A, Henry JP (1989) Catecholamine innervation of the human cerebral cortex as revealed by comparative immunohistochemistry of tyrosine hydroxylase and dopamine- beta-hydroxylase. *J Comp Neurol* 279:249-271.
- 72) **Gaspar P**, Duyckaerts C, Febvret A, Benoit R, Beck B, Berger B (1989) Subpopulations of somatostatin 28-immunoreactive neurons display different vulnerability in senile dementia of the Alzheimer type. *Brain Res* 490:1-13
- 73) Lesur A, **Gaspar P**, Alvarez C, Berger B (1989) Chemoanatomic compartments in the human bed nucleus of the stria terminalis. *Neuroscience* 32:181-194.
- 74) Berger B, Trottier S, Verney C, **Gaspar P**, Alvarez C (1988) Regional and laminar distribution of the dopamine and serotonin innervation in the macaque cerebral cortex: a radioautographic study. *J Comp Neurol* 273:99-119.
- 75) 75) .

- 76) Verney C, **Gaspar P**, Febvret A, Berger B (1988) Transient tyrosine hydroxylase-like immunoreactive neurons contain somatostatin and substance P in the developing amygdala and bed nucleus of the stria terminalis of the rat. *Brain Res* 470:45-58.
- 77) **Gaspar P**, Berger B, Lesur A, Borsotti JP, Febvret A (1987) Somatostatin 28 and neuropeptide Y innervation in the septal area and related cortical and subcortical structures of the human brain. Distribution, relationships and evidence for differential coexistence. *Neuroscience* 22:49-73.
- 78) **Gaspar P**, Berger B, Febvret A, Vigny A, Krieger-Poulet M, Borri-Voltattorni C (1987) Tyrosine hydroxylase-immunoreactive neurons in the human cerebral cortex: a novel catecholaminergic group? *Neurosci Lett* 80:257-262.
- 79) Verney C, **Gaspar P**, Alvarez C, Berger B (1987) Postnatal sequential development of dopaminergic and enkephalinergic perineuronal formations in the lateral septal nucleus of the rat correlated with local neuronal maturation. *Anat Embryol (Berl)* 176:463-475.
- 80) Berger B, Trottier S, **Gaspar P**, Verney C, Alvarez C (1986) Major dopamine innervation of the cortical motor areas in the cynomolgus monkey. A radioautographic study with comparative assessment of serotonergic afferents. *Neurosci Lett* 72:121-127.
- 81) Berger B, Verney C, **Gaspar P**, Febvret A (1985) Transient expression of tyrosine hydroxylase immunoreactivity in some neurons of the rat neocortex during postnatal development. *Brain Res* 355:141-144.
- 82) **Gaspar P**, Berger B, Alvarez C, Vigny A, Henry JP (1985) Catecholaminergic innervation of the septal area in man: immunocytochemical study using TH and DBH antibodies. *J Comp Neurol* 241:12-33.
- 83) **Gaspar P**, Gray F (1984) Dementia in idiopathic Parkinson's disease. A neuropathological study of 32 cases. *Acta Neuropathol (Berl)* 64:43-52.
- 84) **Gaspar P**, Berger B, Gay M, Hamon M, Cesselin F, Vigny A, Javoy-Agid F, Agid Y (1983) Tyrosine hydroxylase and methionine-enkephalin in the human mesencephalon. Immunocytochemical localization and relationships. *J Neurol Sci* 58:247-267.
- 85) **Gaspar P**, Roux FX, Davous P, Rondot P (1982) Spinal subdural hematoma. An unusual complication of lumbar puncture. *Sem Hop* 58:873-875.
- 86) Ploska A, Taquet H, Javoy-Agid F, **Gaspar P**, Cesselin F, Berger B, Hamon M, Legrand JC, Agid Y (1982) Dopamine and methionine-enkephalin in human brain. *Neurosci Lett* 33:191-196.
- 87) Barbin G, Palacios JM, Garbarg M, Schwartz JC, **Gaspar P**, Javoy-Agid F, Agid Y (1980) L-Histidine decarboxylase in the human brain: properties and localization. *J Neurochem* 35:400-406.
- 88) **Gaspar P**, Javoy-Agid F, Ploska A, Agid Y (1980) Regional distribution of neurotransmitter synthesizing enzymes in the basal ganglia of human brain. *J Neurochem* 34:278-283.
- 89) Puymirat J, Javoy-Agid F, **Gaspar P**, Ploska A, Prochiantz A, Agid Y (1979) Post mortem stability and storage in the cold of brain enzymes. *J Neurochem* 32:449-454.

Reviews Books.

- 1) Alexandra Rebsam and **Patricia Gaspar** (2006) Presynaptic mechanisms controlling axon arbor remodelling in the thalamocortical and retinogeniculate systems.
- 2) In: "Development and Plasticity in Sensory Thalamus and Cortex". (Guido B, Erurumlu R, Molnar Z, eds), Kluwer Academic/ Plenum Publishers.

- 3) Brigitte Berger and **Patricia Gaspar**-(1994). Comparative anatomy of the catecholaminergic innervation of rat and primate cerebral cortex. In Wilhemus J Smeets and Anton Reiner, editors, "Phylogeny and Development of Catecholamine systems in the CNS of Vertebrates. ", Cambridge University Press.
- 4) **Gaspar P.** (1993) Anatomy of the noradrenergic pathways in the primate brain. Alterations in Parkinson's disease. in "Noradrenergic mechanisms in Parkinson's disease". ed. M.Briley.
- 5) Duyckaerts C, **Gaspar P**, Costa C, Bonnet AM, Hauw JJ (1993) Dementia in Parkinson's disease. Morphometric data. *Adv Neurol* 60 :447-455.
- 6) Berger B, **Gaspar P**, Verney C. (1992) Colocalization of neurotensin in the mesocortical dopaminergic system. Restricted regional and laminar distribution in rat, lack of colocalization in human. *Ann. N.Y. Acad. Sci.* 668: 307-309.
- 7) Brigitte Berger,**Patricia Gaspar**, and Suzanne Trottier, (1987). Catecholaminergic Innervation of the Human Cerebral cortex : a phylogenetic perspective. In M.sandler, A.Dahlström,R.H.Belmaker, Progress in Catecholamine Research,, part B, central Aspects. Alan Liss,Inc, New York. pp: 1999 2004.,
- 8) Javoy-Agid F, Ruberg M, Taquet H, Bokobza B, Agid Y, **Gaspar P**, Berger B, N'Guyen-Legros J, Alvarez C, Gray F (1984) Biochemical neuropathology of Parkinson's disease. *Adv Neurol* 40:189-198.

Educational and information publications

- 1) Nicol X and **Gaspar P**- Interaction entre l'activité neuronale et la signalisation par les éphrines pendant le raffinement des connexions neuronales (2008) *Médecine Sciences* 24:144-6.
- 2) **Gaspar P**, Cases O, Rebsam, A, Stankowski, L. (2006) Bases neurobiologiques de l'empreinte sérotoninergique pendant le développement-*Bulletin de l'Académie de Médecine* , 190 : 1945-1961.
- 3) **Gaspar P** (2004) Des modèles génétiques pour comprendre le rôle de la sérotonine au cours du développement. *Journal de la Société de Biologie* 198.
- 4) **Gaspar P** (2003) Périodes critiques de plasticité des cartes sensorielles corticales. *Psychiatrie, Sciences Humaines et Neurosciences* 5:22-29.
- 5) Lledo, PM, **Gaspar,P**, Trembleau, A. (2003). La curieuse partition des nouveaux neurones. *La recherche.* 367 : 55-60.
- 6) **Gaspar P**, et Verney,C. (1997). Développement de la neurotransmission dans le cortex cérébral. *NeuroPsychiatrie*, 12: 512-525.
- 7) **Gaspar P.** (1992), Noradrénaline. dans "Neuropeptides et neuromédiateurs" ed. J.Epelbaum, Sandoz. pp.143-154.